

2. Mathematics with Maple: the Basics

2.1 Introduction

```
[ > 1 + 2;
                                     3
[ > 1 + 3/2;
                                     5
                                     2
[ > 2*(3+1/3)/(5/3-4/5);
                                     100
                                     13
[ > 2.8754/2;
                                     1.437700000
[ > 1 + 1/2;
                                     3
                                     2
```

2.2 Numerical Computations

Integer computations

```
[ > 1 + 2;
                                     3
[ > 75 - 3;
                                     72
[ > 5*3;
                                     15
[ > 120/2;
                                     60
[ > 100!;
9332621544394415268169923885626670049071596826438\
 1621468592963895217599993229915608941463976156518\
 28625369792082722375825118521091686400000000000000\
 000000000000
[ > length(%);
                                     158
```

```

> ifactor(60);
(2)2 (3) (5)
> igcd(123, 45);
3
> iquo(25, 3);
8
> isprime(18002676583);
true

```

Exact Arithmetic - Rationals, Irrationals and Constants

```

> 1/2 + 1/3;
5/6
> Pi;
π
> evalf(Pi, 100);
3.14159265358979323846264338327950288419716939937\
5105820974944592307816406286208998628034825342117\
068

```

```
[ > 1/3;
                                     1
                                     3
[ > evalf(%);
                                     0.3333333333
[ > 3/2*5;
                                     15
                                     2
[ > 1.5*5;
                                     7.5
[ > sqrt(2);
                                     √2
[ > sqrt(3)^2;
                                     3
[ > Pi;
                                     π
[ > sin(Pi);
                                     0
```

```
[ > exp(1);  
  
e  
[ > ln(exp(5));  
  
5
```

Floating-Point Approximations

```
[ > evalf(Pi);  
  
3.141592654  
[ > evalf(Pi, 200);  
  
3.14159265358979323846264338327950288419716939937\  
5105820974944592307816406286208998628034825342117\  
0679821480865132823066470938446095505822317253594\  
0812848111745028410270193852110555964462294895493\  
03820  
[ > 1/3 + 1/4 + 1/5.3;  
  
0.7720125786  
[ > sin(0.2);  
  
0.1986693308
```

```

[ Digits := 20;
  Digits := 20
[ > sin(0.2);
  0.19866933079506121546

```

Arithmetic with Special Numbers

```

[ > (2 + 5*I) + (1 - I);
  3 + 4 I
[ > (1 + I)/(3 - 2*I);
   $\frac{1}{13} + \frac{5}{13} I$ 
[ > convert(247, binary);
  11110111
[ > convert(1023, hex);
  3FF
[ > convert(17, base, 3);
  [2, 2, 1]
[ > 27 mod 4;
  3

```



```

> expand((1 + x)^2);
                                1 + 2x + x^2
> factor(%);
                                (1 + x)^2
> Diff(sin(x), x);
                                 $\frac{d}{dx} \sin(x)$ 
> value(%);
                                cos(x)
> Sum(n^2, n);
                                 $\sum_n n^2$ 
> value(%);
                                 $\frac{1}{3}n^3 - \frac{1}{2}n^2 + \frac{1}{6}n$ 
> rem(x^3+x+1, x^2+x+1, x);
                                2 + x

```



```
[ > series(sin(x), x=0, 10);
```

$$x - \frac{1}{6}x^3 + \frac{1}{120}x^5 - \frac{1}{5040}x^7 + \frac{1}{362880}x^9 + O(x^{10})$$

2.4 Assigning Names to Expressions

General syntax: `name := expression;`

```
[ > var := x;
```

var := x

```
[ > term := x*y;
```

term := xy

```
[ > eqns := x = y + 2;
```


eqns := x = y + 2

Defining functions

```
[ > f := x -> 2*x^2 - 3*x + 4;
```

f := x → 2x² - 3x + 4

```
> plot(f(x), x = -5 .. 5);
```



```
[ > f := x-> x^2;
                                      $f := x \rightarrow x^2$ 
[ > f(5);
                                     25
[ > f(y+1);
                                      $(y+1)^2$ 
```

Protected Names

```
[ > Pi := 3.14;
Error, attempting to assign to `Pi` which is protected
[ > set := {1, 2, 3};
Error, attempting to assign to `set` which is
protected
```

2.5 More Basic Types of Maple Objects

Expression Sequences

```
[ > 1, 2, 3, 4;
                                     1, 2, 3, 4
[ > x, y, z, w;
                                     x, y, z, w
[ > a | | b;
                                     ab
[ > S := 1, 2, 3, 4;
                                     S := 1, 2, 3, 4
[ > a | | S;
                                     a1, a2, a3, a4
```

Lists

```
[ > data_list := [1, 2, 3, 4, 5];
                                     data_list := [1, 2, 3, 4, 5]
[ > polynomials := [x^2+3, x^2+3*x-1, 2*x];
                                     polynomials := [x2+3, x2+3x-1, 2x]
```

```

> participants := [Kathy, Frank, Rene,
  Niklaus, Liz];

      participants := [Kathy, Frank, Rene, Niklaus, Liz]
> [a,b,c], [b,c,a], [a,a,b,c,a];

      [a,b,c],[b,c,a],[a,a,b,c,a]
> letters := [a,b,c];

      letters := [a,b,c]
> letters[2];

      b
> nops(letters);

      3
> op(letters);

      a,b,c
> letters[];

      a,b,c

```

Sets

```

> data_set := {1, -1, 0, 10, 2};

      data_set := {-1, 0, 1, 2, 10}

```

```

> unknowns := {x, y, z};

                                unknowns := {x, y, z}
> {a, b, c}, {c, b, a}, {a, a, b, c, a};

                                {a, b, c}, {a, b, c}, {a, b, c}
> {1, 2, 2.0};

                                {1, 2, 2.0}
> {a, b, c} union {c, d, e};

                                {a, b, c, d, e}
> {1, 2, 3, a, b, c} intersect {0, 1, y, a};

                                {1, a}
> nops(%);

                                2
> op( {1, 2, 3, a, b} );

                                1, 2, 3, a, b
> numbers := {0, Pi/3, Pi/2, Pi};

                                numbers := {0,  $\pi$ ,  $\frac{\pi}{3}$ ,  $\frac{\pi}{2}$ }

```

```

[ > map(g, numbers);
    {g(0), g( $\pi$ ), g( $\frac{\pi}{3}$ ), g( $\frac{\pi}{2}$ )}
[ > map(sin, numbers);
    {0, 1,  $\frac{\sqrt{3}}{2}$ }

```

Operations on Sets and Lists

```

[ > participants := [Kate, Tom, Steve];
    participants := [Kate, Tom, Steve]
[ > member(Tom, participants);
    true
[ > data_set := {5, 6, 3, 7};
    data_set := {3, 5, 6, 7}
[ > member(2, data_set);
    false
[ > participants := [Kate, Tom, Steve];
    participants := [Kate, Tom, Steve]

```



```
> squares[1] := 1; squares[2] := 2^2;
squares[3] := 3^2;
```

*squares*₁ := 1

*squares*₂ := 4

*squares*₃ := 9

```
> cubes := array(1..3, [1,8,27]);
```

cubes := [1, 8, 27]

```
> squares[2];
```

4

```
> squares;
```

squares

```
> print(squares);
```

[1, 4, 9]

```
> pwrs := array(1..3, 1..3);
```

pwrs := array(1 .. 3, 1 .. 3, [])

```
> pwrs[1,1] := 1; pwrs[1,2] := 1; pwrs[1,3]
:= 1;
```

*pwrs*_{1,1} := 1

$pwr_{1,2} := 1$

$pwr_{1,3} := 1$

```
> pwr[2,1] := 2: pwr[2,2] := 4: pwr[2,3]  
:= 8:
```

```
> pwr[3,1] := 3: pwr[3,2] := 9: pwr[3,3]  
:= 27:
```

```
> print(pwr);
```

$$\begin{bmatrix} 1 & 1 & 1 \\ 2 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$$

```
> pwr[2,3];
```

8

```
> array3 := array( 1..2, 1..2, 1..2,  
> [[[1,2], [3,4]], [[5,6], [7,8]]] );
```

```
array3 := array(1 .. 2, 1 .. 2, 1 .. 2, [
```

(1, 1, 1)= 1

(1, 1, 2)= 2

(1, 2, 1)= 3

(1, 2, 2)= 4

(2, 1, 1)= 5

(2, 1, 2)= 6

(2, 2, 1)= 7

(2, 2, 2)= 8

[D

The subs Command

General syntax: `subs(x=expr1, y=expr2, ... main expr);`

```
[ > expr := z^2 + 3;
                                     expr := z2 + 3
[ > subs(z=x+y, expr);
                                     (x+y)2 + 3
[ > subs(2=9, pwr);
                                     pwr
[ > subs(2=9, evalm(pwr) );
                                      $\begin{bmatrix} 1 & 1 & 1 \\ 9 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$ 
[ > evalm(pwr);
                                      $\begin{bmatrix} 1 & 1 & 1 \\ 2 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$ 
```

Tables (Associative Arrays)

```
[ > translate :=  
  table([one=un, two=deux, three=trois]);  
  
  translate := table([three = trois, one = un, two = deux])  
[ > translate[two];  
  
  deux  
[ > Digits := 10;  
  
  Digits := 10  
[ > earth_data := table(  
  [mass=[5.976*10^24,kg],  
  
  radius=[6.378164*10^6,m],  
  
  circumference=[4.00752*10^7,m]]);  
  
earth_data := table([mass = [0.5976000000 1025, kg],  
  radius = [0.6378164000 107, m],  
  circumference = [0.4007520000 108, m]  
  ])  
[ > earth_data[mass];  
  
  [0.5976000000 1025, kg]
```

2.6 Expression Manipulation

The `simplify` Command

```
> expr := cos(x)^5 + sin(x)^4 + 2*cos(x)^2
- 2*sin(x)^2 - cos(2*x);

      expr := cos(x)^5 + sin(x)^4 + 2 cos(x)^2 - 2 sin(x)^2 - cos(2 x)
> simplify(expr);

      cos(x)^4 (cos(x) + 1)
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2);

      1 + ln(2) + ln(y)
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,
' trig ');

      1 + ln(2 y)
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,
' ln ');

      sin(x)^2 + ln(2) + ln(y) + cos(x)^2
```

The `siderel` example gives a different result in Maple 8

The factor Command

```
[ > big_poly := x^5 - x^4 - 7*x^3 + x^2 + 6*x;
```

$$big_poly := x^5 - x^4 - 7x^3 + x^2 + 6x$$

```
[ > factor(big_poly);
```

$$x(x-1)(x-3)(2+x)(1+x)$$

```
[ > rat_expr := (x^3 - y^3)/(x^4 - y^4);
```

$$rat_expr := \frac{x^3 - y^3}{x^4 - y^4}$$

```
[ > factor(rat_expr);
```

$$\frac{x^2 + xy + y^2}{(x+y)(x^2 + y^2)}$$

The expand Command

```
[ > expand((x+1)*(x+2));
```

$$x^2 + 3x + 2$$

```
[ > expand(sin(x+y));
```

$$\sin(x)\cos(y) + \cos(x)\sin(y)$$

```
[ > expand(exp(a+ln(b)));
```

$$e^a b$$

```
> expand((x+1)*(y+z), x+1);
```

$$(1+x)y+(1+x)z$$

The convert Command

```
> convert(cos(x), exp);
```

$$\frac{1}{2}e^{(xI)} + \frac{1}{2}\frac{1}{e^{(xI)}}$$

```
> convert(exp(x)/2 + exp(-x)/2, trig);
```

$$\cosh(x)$$

```
> A := array(1..2, 1..2, [[a,b], [c,d]]);
```

$$A := \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

```
> convert(A, 'listlist');
```

$$[[a,b],[c,d]]$$

```
> convert(A, 'set');
```

$$\{a,b,c,d\}$$

```
> convert(%, list);
```

$$[a,b,c,d]$$

The normal Command

```
[ > rat_expr_2 := (x^2 - y^2)/(x - y)^3;
```

$$rat_expr_2 := \frac{x^2 - y^2}{(-y + x)^3}$$

```
[ > normal(rat_expr_2);
```

$$\frac{x + y}{(-y + x)^2}$$

```
[ > normal(rat_expr_2, 'expanded');
```

$$\frac{x + y}{y^2 - 2xy + x^2}$$

The combine Command

```
[ > combine(exp(x)^2*exp(y), exp);
```

$$e^{(2x+y)}$$

```
[ > combine((x^a)^2, power);
```

$$x^{(2a)}$$

The `expr := ... combine(expr) ...` example does not work as advertised in Maple 8

The `map` Command

Be careful to "reset" the symbol `f`

```
> f := 'f';  
  
                                 $f := f$   
> map( f, [a,b,c] );  
  
                                [f(a), f(b), f(c)]  
> data_list := [0, Pi/2, 3*Pi/2, 2*Pi];  
  
                                 $data\_list := \left[ 0, \frac{\pi}{2}, \frac{3\pi}{2}, 2\pi \right]$   
> map(sin, data_list);  
  
                                [0, 1, -1, 0]  
> map(f, [a,b,c], x, y);  
  
                                [f(a, x, y), f(b, x, y), f(c, x, y)]  
> fcn_list := [sin(x), ln(x), x^2];  
  
                                 $fcn\_list := [\sin(x), \ln(x), x^2]$   
> map(Diff, fcn_list, x);  
  
                                 $\left[ \frac{d}{dx} \sin(x), \frac{d}{dx} \ln(x), \frac{d}{dx} (x^2) \right]$ 
```

```

> map(value, %);
           [ cos(x), 1/x, 2x ]
> map(x->x^2, [-1, 0, 1, 2, 3]);
           [ 1, 0, 1, 4, 9 ]

```

The lhs and rhs Commands

```

> eqn1 := x+y=z+3;
           eqn1 := x + y = z + 3
> lhs(eqn1);
           x + y
> rhs(eqn1);
           z + 3

```

The numer and denom Commands

```

> numer(3/4);
           3
> denom(1/(1 + x));
           1 + x

```



```
> subs(a*b=5,expr);
```

$$a^3 b^2$$

```
> simplify(expr, {a*b=5});
```

$$25 a$$

```
> expr2 := cos(x)*(sec(x) - cos(x));
```

$$\text{expr2} := \cos(x) (\sec(x) - \cos(x))$$

```
> simplify(%);
```

$$1 - \cos(x)^2$$

```
> simplify(%, {1-cos(x)^2=sin(x)^2});
```

$$\sin(x)^2$$

```
> x^19 - x;
```

$$x^{19} - x$$

```
> factor(%);
```

$$x(x-1)(x^2+x+1)(x^6+x^3+1)(1+x)(1-x+x^2)(1-x^3+x^6)$$

```
[ > 2*(x + y);
```

$2x + 2y$

```
[ > expr3 := 2*(x + y);
```

$expr3 := 2x + 2y$

```
[ > subs( 2=two, expr3 );
```

$x\ two + y\ two$

```
[ > factor(%);
```

$two(x + y)$